

TABLE L104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, local government, 2014

| Part of body | Part of body code ³ | Local govern-ment ⁴ | Age | | | | | | 65 and over |
|--|--------------------------------|--------------------------------|---------|---------|---------|---------|---------|---------|-------------|
| | | | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | |
| Total | | 166.4 | 107.0 | 165.6 | 138.3 | 165.3 | 189.7 | 168.8 | 154.4 |
| Head | 1 | 10.7 | 8.7 | 10.9 | 9.6 | 8.6 | 14.1 | 9.0 | 14.6 |
| Head, unspecified | 10 | 2.8 | 2.1 | 2.8 | 2.2 | 1.8 | 3.5 | 2.9 | 4.3 |
| Cranial region, including skull | 11 | 3.1 | 2.1 | 3.1 | 2.6 | 3.7 | 3.4 | 2.7 | 3.9 |
| Cranial region, unspecified | 110 | (⁵) | — | — | — | — | — | — | — |
| Brain | 111 | 2.6 | — | 2.9 | 2.3 | 2.2 | 3.1 | 2.5 | 3.4 |
| Scalp | 112 | .2 | — | — | .2 | .3 | .1 | .1 | .4 |
| Skull | 113 | .4 | — | — | — | 1.2 | .2 | — | — |
| Ear(s) | 12 | .2 | — | .4 | .1 | .1 | .5 | .1 | — |
| Face | 13 | 4.4 | 4.4 | 4.6 | 4.5 | 3.0 | 6.2 | 3.1 | 6.2 |
| Face, unspecified | 130 | .5 | — | .6 | .7 | .4 | .4 | .4 | .4 |
| Forehead | 131 | .3 | 2.7 | — | .4 | .2 | .3 | .3 | — |
| Eye(s) | 132 | 1.8 | — | 1.6 | 1.7 | 1.5 | 2.9 | 1.2 | 1.1 |
| Nose, nasal cavity | 133 | .4 | — | .4 | .3 | .3 | .4 | .5 | .6 |
| Nose, except internal location of diseases or disorders | 1330 | .4 | — | .4 | .3 | .3 | .3 | .5 | .6 |
| Cheek(s) | 134 | .1 | — | — | .1 | — | .1 | .1 | — |
| Jaw, chin | 135 | .1 | — | — | .2 | .1 | .1 | — | — |
| Mouth | 136 | .7 | — | — | .3 | .2 | 1.7 | .3 | — |
| Mouth, unspecified | 1360 | .2 | — | — | — | — | .6 | — | — |
| Lip(s) | 1361 | .2 | — | — | — | — | .5 | — | — |
| Tooth (teeth) | 1363 | .2 | — | — | .2 | .2 | .1 | — | — |
| Multiple mouth locations | 1368 | .2 | — | — | — | — | .6 | .2 | — |
| Multiple face locations | 138 | .5 | — | — | .7 | .3 | .3 | .3 | 3.5 |
| Face, n.e.c. | 139 | (⁵) | — | — | — | — | — | — | — |
| Multiple head locations | 18 | .2 | — | — | .1 | — | .3 | .2 | — |
| Head, n.e.c. | 19 | (⁵) | — | — | — | — | .1 | — | — |
| Neck, including throat | 2 | 2.2 | — | .7 | 3.1 | 2.4 | 2.4 | 1.5 | .4 |
| Neck, except internal location of diseases or disorders ... | 20 | 2.2 | — | .7 | 3.1 | 2.4 | 2.4 | 1.5 | .4 |
| Trunk | 3 | 36.5 | 45.8 | 26.1 | 32.7 | 36.7 | 41.3 | 32.0 | 48.5 |
| Trunk, unspecified | 30 | .1 | — | — | .2 | .2 | .1 | .2 | — |
| Chest, including ribs, internal organs | 31 | 2.7 | — | 1.2 | 1.3 | 2.8 | 2.8 | 2.4 | 9.8 |
| Chest, except internal location of diseases or disorders | 310 | 2.0 | — | .7 | .8 | 1.9 | 1.9 | 2.0 | 9.7 |
| Internal chest location, unspecified | 311 | (⁵) | — | — | — | — | — | — | — |
| Heart | 313 | .4 | — | — | .2 | .7 | .4 | .3 | — |
| Bronchus | 314 | (⁵) | — | — | — | — | — | — | — |
| Lung(s), pleura | 315 | .2 | — | — | .3 | .2 | .3 | .1 | — |
| Back, including spine, spinal cord | 32 | 26.9 | 44.1 | 21.7 | 23.3 | 27.9 | 33.2 | 22.8 | 18.2 |
| Back, including spine, spinal cord, unspecified | 320 | 9.9 | 35.3 | 11.4 | 8.0 | 11.0 | 10.3 | 9.0 | 7.2 |
| Thoracic region | 321 | 1.0 | — | .7 | 1.1 | .9 | 1.8 | .4 | .5 |
| Lumbar region | 322 | 14.1 | 7.9 | 6.8 | 13.1 | 14.9 | 17.4 | 11.9 | 10.3 |
| Sacral region | 323 | .1 | — | — | .3 | .1 | .1 | .1 | — |
| Coccygeal region | 324 | .2 | — | — | — | .3 | .4 | .3 | — |
| Multiple back regions | 328 | 1.5 | — | 2.7 | .7 | .7 | 3.1 | 1.1 | — |
| Back, including spine, spinal cord, n.e.c. | 329 | (⁵) | — | — | — | — | — | — | — |
| Abdomen | 33 | 3.0 | — | .8 | 5.0 | 1.7 | 2.4 | 2.1 | 11.2 |

See footnotes at end of table.

TABLE L104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, local government, 2014 — Continued

| Part of body | Part of body code ³ | Local govern-ment ⁴ | Age | | | | | | |
|--|--------------------------------|--------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | |
| Abdomen, except internal location of diseases or disorders | 330 | 2.8 | — | 0.7 | 4.9 | 1.5 | 2.3 | 2.0 | 10.9 |
| Internal abdominal location, unspecified | 331 | .1 | — | — | — | .1 | — | — | — |
| Intestines, peritoneum | 335 | .1 | — | — | — | — | — | — | — |
| Intestines, peritoneum, unspecified | 3350 | (5) | — | — | — | — | — | — | — |
| Intestines, peritoneum, n.e.c. | 3359 | (5) | — | — | — | — | — | — | — |
| Pelvic region | 34 | 2.7 | — | 1.8 | 1.9 | 2.6 | 2.1 | 3.2 | 8.1 |
| Pelvic region, unspecified | 340 | (5) | — | — | — | — | — | — | — |
| Hip(s) | 341 | 1.3 | — | .4 | .6 | .9 | .9 | 2.1 | 5.0 |
| Pelvis | 342 | .1 | — | — | — | .1 | .1 | — | .6 |
| Buttock(s) | 343 | .4 | — | — | .8 | .1 | .3 | .3 | — |
| Groin | 344 | .9 | — | .5 | .4 | 1.4 | .8 | .7 | 1.1 |
| External reproductive tract structures | 345 | (5) | — | — | — | — | — | — | — |
| Multiple pelvic region locations | 348 | (5) | — | — | — | — | — | — | — |
| Multiple trunk locations | 38 | 1.0 | — | .6 | .8 | 1.4 | .7 | 1.3 | 1.1 |
| Trunk, n.e.c. | 39 | .1 | — | — | .3 | — | — | — | — |
| Upper extremities | 4 | 40.8 | 12.3 | 54.6 | 38.7 | 40.0 | 42.5 | 43.1 | 32.2 |
| Upper extremities, unspecified | 40 | .1 | — | — | — | .1 | — | — | — |
| Shoulder(s), including clavicle(s), scapula(e) | 41 | 11.8 | 3.4 | 13.3 | 12.5 | 9.9 | 12.8 | 12.6 | 9.9 |
| Arm(s) | 42 | 6.3 | — | 3.4 | 4.0 | 6.5 | 7.5 | 7.7 | 5.5 |
| Arm(s), unspecified | 420 | 1.6 | — | 2.0 | 1.2 | 1.7 | 1.5 | 2.0 | 1.2 |
| Upper arm(s) | 421 | .7 | — | — | .6 | .8 | 1.0 | .6 | .7 |
| Elbow(s) | 422 | 2.5 | — | .6 | 1.6 | 2.8 | 3.3 | 2.6 | 2.6 |
| Forearm(s) | 423 | .7 | — | .7 | .4 | .6 | .8 | 1.1 | .9 |
| Multiple arm locations | 428 | .6 | — | — | .1 | .5 | .9 | 1.0 | — |
| Multiple arm locations, unspecified | 4280 | .1 | — | — | — | — | — | .5 | — |
| Elbow(s) and arm(s) | 4281 | .2 | — | — | — | .3 | .3 | .4 | — |
| Multiple arm locations, n.e.c. | 4289 | .2 | — | — | .1 | .2 | .5 | — | — |
| Arm(s), n.e.c. | 429 | .1 | — | — | — | — | .1 | .5 | — |
| Wrist(s) | 43 | 5.6 | — | 4.3 | 3.7 | 5.1 | 6.3 | 7.2 | 7.6 |
| Hand(s) | 44 | 12.1 | 6.7 | 31.9 | 15.4 | 10.4 | 10.3 | 11.2 | 6.3 |
| Hand(s), unspecified | 440 | 3.9 | 3.0 | 14.0 | 7.8 | 2.8 | 2.4 | 2.1 | 1.1 |
| Hand(s), except finger(s) | 441 | .5 | — | 1.5 | .2 | .5 | .5 | .8 | — |
| Finger(s), fingernail(s) | 442 | 7.0 | 3.4 | 14.6 | 7.1 | 6.5 | 6.6 | 7.8 | 4.7 |
| Finger(s), fingernail(s), unspecified | 4420 | 5.0 | — | 13.6 | 3.5 | 5.3 | 5.1 | 5.0 | 4.3 |
| Fingernail(s), nailbed(s) | 4421 | (5) | — | — | — | .1 | — | — | — |
| Fingertip(s) | 4422 | .4 | — | — | .8 | .1 | .4 | .4 | — |
| Finger(s), fingernail(s), n.e.c. | 4429 | 1.6 | — | .9 | 2.7 | 1.0 | 1.1 | 2.3 | .4 |
| Hand(s) and finger(s) | 448 | .4 | — | 1.4 | .3 | .4 | .4 | .3 | — |
| Hand(s), n.e.c. | 449 | .2 | — | .5 | — | .2 | .3 | .3 | — |
| Multiple upper extremities locations | 48 | 5.0 | — | 1.4 | 3.0 | 8.0 | 5.5 | 4.2 | 2.9 |
| Multiple upper extremities locations, unspecified | 480 | .1 | — | — | — | — | .2 | — | — |
| Hand(s) and arms(s) | 481 | .4 | — | .5 | .4 | .2 | .6 | .6 | — |
| Hand(s) and arm(s), unspecified | 4810 | .1 | — | .4 | — | — | .2 | — | — |
| Hand(s) and elbow(s) | 4811 | .1 | — | — | — | .1 | .3 | — | — |
| Hand(s) and arm(s), n.e.c. | 4819 | .2 | — | — | .4 | — | .1 | .6 | — |
| Hand(s) and wrist(s) | 482 | .9 | — | — | .6 | 1.9 | .8 | .3 | .7 |
| Wrist(s) and arm(s) | 483 | .4 | — | — | .1 | .2 | .9 | .4 | .4 |
| Wrist(s) and arm(s), unspecified | 4830 | .1 | — | — | .1 | .2 | .1 | .2 | .3 |

See footnotes at end of table.

TABLE L104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, local government, 2014 — Continued

| Part of body | Part of body code ³ | Local govern-ment ⁴ | Age | | | | | |
|---|--------------------------------|--------------------------------|---------|---------|---------|---------|---------|---------|
| | | | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 |
| Wrist(s) and elbow(s) | 4831 | (⁵) | — | — | — | — | — | — |
| Wrist(s) and arm(s), n.e.c. | 4839 | .2 | — | — | — | — | 0.8 | 0.2 |
| Shoulder(s) and arm(s) | 484 | 2.3 | — | — | 1.1 | 5.0 | 1.8 | 1.8 |
| Multiple upper extremities locations, n.e.c. | 489 | .9 | — | — | .6 | .8 | 1.2 | 1.1 |
| Upper extremities, n.e.c. | 49 | (⁵) | — | — | — | — | .1 | — |
| Lower extremities | 5 | 40.8 | 31.0 | 44.9 | 31.5 | 38.1 | 53.0 | 40.4 |
| Lower extremities, unspecified | 50 | .1 | — | — | — | — | .2 | .1 |
| Leg(s) | 51 | 23.8 | 12.5 | 16.2 | 17.7 | 21.8 | 32.1 | 25.0 |
| Leg(s), unspecified | 510 | 1.9 | — | 1.2 | 1.1 | 2.4 | 2.1 | .8 |
| Thigh(s) | 511 | .9 | — | .6 | .4 | .6 | 1.1 | .9 |
| Knee(s) | 512 | 17.3 | 7.6 | 12.2 | 14.6 | 14.6 | 22.5 | 19.0 |
| Lower leg(s) | 513 | 2.7 | 3.1 | .9 | 1.0 | 2.6 | 5.6 | 1.6 |
| Multiple leg locations | 518 | .8 | — | — | .5 | 1.5 | .4 | 1.1 |
| Multiple leg locations, unspecified | 5180 | (⁵) | — | — | — | .1 | — | — |
| Knee(s) and leg(s) | 5181 | .7 | — | — | .4 | 1.4 | .4 | .9 |
| Multiple leg locations, n.e.c. | 5189 | .1 | — | — | .1 | — | .1 | — |
| Leg(s), n.e.c. | 519 | .2 | — | 1.0 | — | — | .3 | .1 |
| Ankle(s) | 52 | 9.4 | 9.5 | 14.6 | 7.6 | 10.4 | 11.7 | 7.4 |
| Foot (feet) | 53 | 5.8 | 8.5 | 13.8 | 4.5 | 4.6 | 6.7 | 6.0 |
| Foot (feet), unspecified | 530 | 3.7 | 3.6 | 2.0 | 3.5 | 3.0 | 4.9 | 3.8 |
| Sole(s) | 531 | .4 | 3.6 | .4 | .2 | .3 | .4 | .3 |
| Sole(s), unspecified | 5310 | .1 | 2.1 | — | — | — | — | — |
| Arch(es), instep(s) | 5312 | (⁵) | — | — | — | .1 | — | — |
| Heel(s) | 5313 | .3 | — | — | .2 | .2 | .3 | .3 |
| Toes(s), toenail(s) | 532 | 1.2 | — | 11.1 | .7 | .9 | 1.0 | .9 |
| Multiple foot (feet) locations | 538 | .2 | — | — | — | — | .1 | .5 |
| Foot (feet), n.e.c. | 539 | .3 | — | — | .1 | .2 | .3 | .4 |
| Multiple lower extremities locations | 58 | 1.7 | — | — | 1.7 | 1.3 | 2.3 | 1.9 |
| Foot (feet) and leg(s) | 581 | .3 | — | — | .5 | — | .6 | .3 |
| Foot(feet) and leg(s), unspecified | 5810 | (⁵) | — | — | — | — | .1 | — |
| Foot(feet) and knee(s) | 5811 | .2 | — | — | — | — | .5 | .2 |
| Foot(feet) and leg(s), n.e.c. | 5819 | .1 | — | — | .5 | — | — | — |
| Foot (feet) and ankle(s) | 582 | .4 | — | — | .5 | .3 | .6 | .3 |
| Ankle(s) and leg(s) | 583 | .7 | — | — | .5 | .9 | .8 | .7 |
| Ankle(s) and leg(s), unspecified | 5830 | .1 | — | — | — | .1 | — | — |
| Ankle(s) and knee(s) | 5831 | .6 | — | — | .4 | .8 | .7 | .5 |
| Ankle(s) and leg(s), n.e.c. | 5839 | .1 | — | — | — | — | — | .2 |
| Multiple lower extremities locations, n.e.c. | 589 | .3 | — | — | .2 | .1 | .3 | .6 |
| Body systems | 6 | 5.1 | — | 1.6 | 2.9 | 5.9 | 7.5 | 4.5 |
| Multiple body parts | 8 | 28.9 | 7.9 | 26.5 | 19.3 | 31.4 | 28.2 | 37.9 |
| Multiple body parts, unspecified | 80 | 2.5 | — | 3.2 | 1.4 | 1.4 | 2.0 | 4.0 |
| Head and neck | 81 | .7 | — | .5 | .2 | .5 | .5 | 1.7 |
| Head, neck, and trunk | 82 | .3 | — | — | .4 | .1 | .7 | — |
| Head and trunk | 83 | .7 | — | — | .1 | 1.2 | .3 | 1.3 |
| Neck and back | 84 | 1.9 | — | 2.5 | 1.3 | 3.6 | 1.3 | 1.9 |
| Shoulder(s) and back | 85 | .9 | — | — | 1.3 | .5 | 1.2 | .9 |
| Hip(s) and leg(s) | 86 | .5 | — | — | .5 | .4 | .6 | .6 |

See footnotes at end of table.

TABLE L104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, local government, 2014 — Continued

| Part of body | Part of body code ³ | Local govern- ment ⁴ | Age | | | | | | |
|-----------------------------------|---|---------------------------------------|---------|---------|---------|---------|---------|---------|-------------------|
| | | | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Upper and lower limb(s) | 87 | 3.1 | — | 1.4 | 3.0 | 4.6 | 2.2 | 3.1 | 3.1 |
| Other multiple body parts | 89 | 18.3 | 4.6 | 18.6 | 11.1 | 19.2 | 19.6 | 24.1 | 18.1 |
| Whole body | 891 | .1 | — | — | — | .1 | .1 | — | — |
| Multiple body parts, n.e.c. | 899 | 18.2 | 4.6 | 18.1 | 11.1 | 19.1 | 19.5 | 24.1 | 17.8 |

See footnotes at end of table.

TABLE L104. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body affected by the injury or illness and age of worker, local government, 2014 — Continued

| Part of body | Part of body code ³ | Local govern- ment ⁴ | Age | | | | | | |
|-----------------------|---|---------------------------------------|---------|---------|---------|---------|---------|---------|-------------------|
| | | | 16 - 19 | 20 - 24 | 25 - 34 | 35 - 44 | 45 - 54 | 55 - 64 | 65 and over |
| Nonclassifiable | 9999 | 1.4 | — | — | 0.4 | 2.1 | 0.8 | 0.4 | 0.5 |

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as $(N/EH) \times 20,000,000$, where
 N = number of injuries and illnesses

EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers
 (working 40 hours per week, 50 weeks per year).

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.